

**REPORT 24.136 LHFIG Contributions Bishopdown Farm**

**LAVERSTOCK AND FORD PARISH COUNCIL**

**DATE: 15<sup>th</sup> October 2024**

**AUTHOR: Trudi Deane, Administration Officer**

**1. Report Summary**

A report to councillors regarding Parish Council contributions to Local Highways and Footpath Group LHFIG scheme .

**2. Summary**

At its meeting on 18<sup>th</sup> September 2023, the Parish Council resolved to support a Highways Improvement Request from Cllr Waller for a solution to prevent vehicles damaging grass verges around the local centre in Bishopdown Farm Ref 23.111.


The Traffic Engineer for LHFIG sent details of the proposed scheme (attached below) to the Clerk on 2<sup>nd</sup> October 2024. This suggests the positioning of 11 additional bollards on the problem areas. Manchester plastic bollards are proposed to match those already in the area.

The total cost of this installation would be £4750, with 25% expected from the Parish Council at £1187.50.

Cllr Waller has reviewed the plans and is content this will resolve the issue.

**3. Recommendations**

That the council resolves to contribute £1187.50 to LHFIG item 13-23-22 Bishopdown Parking.




**REPORT 24.136 LHFIG Contributions Bishopdown Farm  
LAVERSTOCK AND FORD PARISH COUNCIL**

**DATE: 15<sup>th</sup> October 2024**

**AUTHOR: Trudi Deane, Administration Officer**

**MODEL SPECIFICATION  
GLASDON MANCHESTER™ BOLLARD - DURAPOL® - EXTENDED BASE**



**PRODUCT INFORMATION:**

- ⊗ WEIGHT - BOLLARD 3.3 Kg
- ⊗ MATERIAL - BOLLARD - DURAPOL®
- ⊗ COLOURS - BLACK
- ⊗ DIMENSIONS - ALL DIMENSIONS IN MM UNLESS OTHERWISE STATED.

**INSTALLATION GUIDE:**

- ⊗ ITEM 1 - BOLLARD
- ⊗ ITEM 2 - ANCHOR TUBE
- ⊗ ITEM 3 - QUICK SETTING CONCRETE (Eg. GRADE 40/50)
- ⊗ ITEM 4 - BLOCK PAVING
- ⊗ ENSURE RETRO-REFLECTORS ARE IN THE CORRECT ORIENTATION - REAR TOWARDS ONCOMING TRAFFIC (YELLOW ON CENTRAL RESERVATION).
- ⊗ RECOMMEND HOLE SIZE 400mm x 300mm DEEP.
- ⊗ AVOID CONTACT WITH HOT TARMAC/ASPHALT AS THIS WILL SERIOUSLY IMPAIR THE PERFORMANCE OF THE BOLLARD.
- ⊗ WE RECOMMEND INSTALLING WITH QUICK SETTING CONCRETE (Eg. GRADE 40/50) BUT EXACT INSTALLATION REQUIREMENTS SHOULD BE ASSESSED FROM A SITE SURVEY.

**OPTIONAL PARTS:**

- ⊗ ALL RETROREFLECTIVE MATERIALS SUPPLIED BY GLASDON ARE AS RECOMMENDED IN TABLE MA1 OF THE NATIONAL ANGLE OF 85 OR 100/95-1 2007 FIXED VERTICAL ROAD SIGN.
- ⊗ MICROPRISMATIC RETROREFLECTIVE MATERIALS USED ON OUR PRODUCTS MEET THE REQUIREMENTS OF BS 6841 ROAD TRAFFIC SIGNS. TESTING AND PERFORMANCE OF MICROPRISMATIC RETROREFLECTIVE SHEETING MATERIALS FOR THEIR APPLICATION AND SITED WORKS.
- ⊗ STANDARD REFLECTOR/BANDING SETS:  
2 x 12x475mm BARRS (1 OR 2 OPTIONAL)  
1 x 22x475mm BARRS  
1 x 12x570mm BARRS
- ⊗ SPARE REFLECTOR SETS ARE AVAILABLE.



web site: [www.glasdon.com](http://www.glasdon.com)  
e-mail: [sales@glasdon.com](mailto:sales@glasdon.com)  
telephone: 01253 600400  
facsimile: 01253 792558

Copyright © Glasdon 2024. All rights reserved. The product is made in the UK. Glasdon is a registered trademark of Glasdon Group Limited. All other trademarks are the property of their respective owners. Glasdon Group Limited is not responsible for any damage or loss caused by the use of this product. Please refer to the terms and conditions of sale for more information.

SPECIFICATION NUMBER - 112040-001	ISSUE 03
GLASDON GROUP LTD 18/05/21	SHEET SIZE: A2